Notice of Allowability	Application No.	Applicant(s)
	10/767,575	DYKEMA ET AL.
	Examiner	Art Unit
	Jermie Cozart	3726
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>8-15</u> .		
<ul> <li>3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> <li>Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.</li> <li>THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.</li> <li>4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.</li> </ul>		
5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached		
1)  hereto or 2)  to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)  1. ☑ Notice of References Cited (PTO-892)  2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)  3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/06 Paper No./Mail Date	6. ☐ Interview Summary Paper No./Mail Date 8), 7. ☑ Examiner's Amendm	e

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the title,

"Method and Apparatus for Installing a Stowage Cabinet in a Motor Vehicle" has been changed to - -Method for Installing a Stowage Cabinet in a Motor Vehicle- -.

In the specification,

- **Page 1**, *Line 1*, --now U.S. Patent 6733061 B1- has been inserted after "2002".
- Page 2, Paragraph [0008], Line 1, "th" has been changed to --the--.
- Page 7, Line 4, "26" has been changed to -66- -.
- 2. The following changes to the drawings have been approved by the examiner and must be agreed upon by applicant: Reference numerals 34, 35, 60, and 72 must be shown in the drawings as mentioned in the specification on page 6, paragraph [0030] at line 5 and on page 7, paragraph [0035] at line 3. In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.
- 3. The following is an examiner's statement of reasons for allowance: Regarding claim 8, the prior art does not teach or suggest fastening the roof cleat onto the roof,

Application/Control Number: 10/767,575 Page 3

Art Unit: 3726

aligning a cabinet cleat on the stowage cabinet with the roof cleat, and nesting the cabinet cleat within the hook of the roof cleat, in combination with the other claimed limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jermie Cozart whose telephone number is 571-272-4528. The examiner can normally be reached on Monday-Thursday, 7:30 am 6:00 pm. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

September 30, 2005

David P. Bryant Primary Examiner